

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 10 Language: en-US Date of print: 5/24/2018

617H-1 - PEDILEN Rigid Foam

Material number 617H-1

Page: 1 of 7

1. Product and company identification

Product identifier

Trade name: 617H-1 - PEDILEN Rigid Foam

Relevant identified uses of the substance or mixture and uses advised against

General use: Basic materials for the production of plastic products for orthopedic procedures.

Reserved for industrial and professional use.

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
Street/POB-No.: 3820 W. Great Lakes Drive
Postal Code, city: Salt Lake City. UT 84120

USA

WWW: www.ottobockus.com
Telephone: +1 (801) 956-2400
Telefax: +1 (801) 956-2401

Dept. responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information: This safety data sheet pertains to the following products:

617H11 - PEDILEN Rigid Foam 100 617H12 - PEDILEN Rigid Foam 200 617H32 - PEDILEN Rigid Foam 300 617H48 - PEDILEN Rigid Foam 450 617H61 - PEDILEN Rigid Foam 600 617H41 - PEDILEN Rigid Foam 700

Corporate headquarters: Ottobock SE & Co. KGaA Max-Näder-Straße 15

Duderstadt Germany

Emergency phone number

CHEMTREC, Telephone: +1 (800) 424-9300

2. Hazards identification

Emergency overview

Appearance: Form: liquid

Color: colorless weak amine odor

Classification: This material is classified as not hazardous.

Precautionary statements:

Odor:

Wear protective gloves and eye/face protection.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: Date of print: 5/24/2018

Page: 2 of 7

Hazards not otherwise classified

see section 11: Toxicological information

3. Composition / Information on ingredients

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 111-18-2	N,N,N',N'- Tetramethylhexamethylenediamine	0.1 - 1 %	Acute Toxicity - oral - Category 3. Acute Toxicity - dermal - Category 3. Acute Toxicity - inhalative - Category 3. Skin Corrosion - Category 1A. Eye Damage - Category 1. Aquatic toxicity - chronic - Category 2.
CAS 3030-47-5	bis(2-dimethylaminoethyl)(methyl) amine	0.1 - 1 %	Acute Toxicity - oral - Category 4. Acute Toxicity - dermal - Category 3. Skin Corrosion - Category 1B.

4. First aid measures

In case of inhalation: Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Seek medical

attention.

Change contaminated clothing. Thoroughly wash skin with soap and water. Following skin contact:

In case of skin irritation, consult a physician.

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids After eye contact:

In case of troubles or persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water.

Induce vomiting when the affected person is not unconscious.

Seek medical attention.

Most important symptoms/effects, acute and delayed

May cause irritations.

After ingestion: The following symptoms may occur: Gastrointestinal irritation

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

> 392 °F

Auto-ignition temperature: No data available

Suitable extinguishing media:

Dry chemical powder, water spray jet, carbon dioxide.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: Date of print: 5/24/2018

Page: 3 of 7

Extinguishing media which must not be used for safety reasons:

Full water jet

Specific hazards arising from the chemical

Combustible.

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide and carbon

dioxide.

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Cool exposed containers with water spray.

Do not allow fire water to penetrate into surface or ground water.

6. Accidental release measures

Personal precautions: Avoid contact with skin and eyes.

Wear suitable protective clothing.

Provide adequate ventilation. Do not breathe vapors.

Wear protective equipment. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up: Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder.

Store in special closed containers and dispose of according to ordinance.

In case of spills of large quantities: Dam spills.

7. Handling and storage

Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid contact with skin and eyes.

Wear protective gloves and eye/face protection.

Precautions against fire and explosion:

When using do not smoke.

Specific use(s) Basic materials for the production of plastic products for orthopedic procedures.

Storage

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place. Dry

Protect from moisture contamination. Container of steel or polyethylene.

Hints on joint storage: Do not store together with oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

8. Exposure controls / personal protection

Engineering controls

Provide adequate ventilation.

See also information in chapter 7, section storage.

with Qualisys SUMDAT printed by Otto Bock, Utah



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: en-US Date of print: 5/24/2018

4 of 7

Page:

Personal protection equipment (PPE)

Eye/face protection Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: Fluororubber (Viton) Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

If necessary: Use filter type A (= against vapors of organic substances) according to Respiratory protection:

OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.

General hygiene considerations:

Avoid contact with skin and eyes.

Do not breathe vapors. Change contaminated clothing.

When using do not eat, drink or smoke. Wash hands before breaks and after work.

Safety shower and eye wash station should be easily accessible to the work area.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Form: liquid

Color: colorless

weak amine odor Odor: Odor threshold: No data available

alkaline pH value:

Melting point/freezing point: No data available Initial boiling point and boiling range: No data available

> 392 °F Flash point/flash point range:

Evaporation rate: No data available Flammability: No data available Explosion limits: No data available Vapor pressure: No data available Vapor density: No data available Density: approx. 1.03 g/cm3

Solubility: soluble in alcohol, ether, aromatic hydrocarbons

Partition coefficient: n-octanol/water: No data available No data available Auto-ignition temperature: Thermal decomposition: No data available

Additional information: No data available

10. Stability and reactivity

refer to section 10.3 Reactivity:

Chemical stability: Hygroscopic.

Stable under recommended storage conditions.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: en-US Language: Date of print: 5/24/2018

Page: 5 of 7

Possibility of hazardous reactions

No dangerous reactions are known.

Conditions to avoid: Protect from moisture contamination.

Oxidising agent Incompatible materials:

Hazardous decomposition products:

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide and carbon

Thermal decomposition: No data available

11. Toxicological information

Toxicological tests

Toxicological effects: Acute toxicity (oral): Lack of data.

> Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Information about N,N,N',N'-Tetramethylhexamethylenediamine:

> LD50 Rat, oral 238 mg/kg LD50 Rat, dermal 394 mg/kg

Information about bis(2-dimethylaminoethyl)(methyl)amine:

LD50 Rat, oral 1330 mg/kg LD50 Rabbit, dermal 230 mg/kg

Symptoms

May cause irritations.

In case of ingestion: The following symptoms may occur: Gastrointestinal irritation

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: en-US Language: Date of print: 5/24/2018

Page: 6 of 7

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Incinerate according to applicable local, state and federal regulations.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - U.S. Federal Regulations

Glycerol, propoxylated: TSCA Inventory: listed; EPA flags XU

TSCA HPVC: not listed

N,N,N',N'-Tetramethylhexamethylenediamine: TSCA Inventory: listed

TSCA HPVC: not listed

bis(2-dimethylaminoethyl)(methyl)amine: TSCA Inventory: listed

TSCA HPVC: not listed

National regulations - Great Britain

Hazchem-Code:



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: en-US Language: Date of print: 5/24/2018

Page: 7 of 7

16. Other information

Hazard rating systems:

NFPA Hazard Rating:

Health: 1 (Slight) Fire: 1 (Slight) Reactivity: 0 (Minimal)

HMIS Version III Rating: Health: 1 (Slight) Flammability: 1 (Slight) Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

Changes in section 1.3: Corporate headquarters Reason of change:

10/7/1994 Date of first version:

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

